

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(select\$5 and routine and (routine adj list\$1) and call\$5 and (window or region or area) and (hierarch\$5 or parent or child or dependen\$5)).clm.	US-PGPUB; USPAT	OR	ON	2006/01/19 15:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23490	call\$4 near4 routine\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:35
L2	4102	select\$4 same L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:35
L3	964	L2 same display\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:35
L4	144	L3 same window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:35
L6	695	(715/853).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:53
L7	486950	select\$5 same display\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:51
L8	27647	parent\$1 same child\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:51
L9	1213	L7 same L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:51

L10	78	L6 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:52
L11	45	(call\$4 near4 by)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:06
L12	10965	node\$1 near2 represent\$6	USPAT	OR	OFF	2006/01/19 12:08
L13	80	L12 near4 routine\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 12:08
L14	4069	((715/781) or (715/792) or (715/804) or (715/810) or (715/835) or (715/853) or (715/854) or (715/966) or (715/967) or (712/216) or (712/243)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:37
L15	567	(parent\$1 near6 window\$1) same (child\$5 near6 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:13
L16	115	L14 and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:13
L17	337110	first near2 (window\$1 or area\$1 or region\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:48
L18	297037	second near2 (window\$1 or area\$1 or region\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:48

L19	176545	L17 same L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:48
L20	7564	display\$5 near3 (routine\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:48
L21	11	L20 same L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:49
L22	595	(715/854).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:54
L23	37	15 and (22 or 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:54
L24	2	("6359637").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:21
L25	2	("6564200").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:37

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

routine "hierarchical call" and display window

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about **52** for **routine "hierarchical call" and display window select.** (0.32 seconds)[\[PDF\] Steven P. Reiss Brown University Department of Computer Science ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)This is a tool that displays a **hierarchical call** graph, allowing. the user to interactively **select** the areas of interest and to setup the. **display** ...www.cs.brown.edu/~spr/research/field/userman.pdf - [Similar pages](#)[\[PDF\] CodeWarrior Development Studio](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)program through its **hierarchical call**. structure. > Watch View: for monitoring and updating. data in a separate **window**. > Memory View: Memory view is the ...www.freescale.com/files/soft_dev_tools/doc/data_sheet/950-00136.pdf - [Similar pages](#)[\[PDF\] DS91516A, CodeWarrior Development Studio Data Sheet](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)workstation. This provides increased visibility and control over the **display** of informa-. tion in the debugger. **Windows** that have been separated from the ...www.freescale.com/files/dsp/doc/data_sheet/DS91516A.pdf - [Similar pages](#)[\[PDF\] WRS-windpower ide ds\(6\).3](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)... progress of a program through its **hierarchical call** structure. ... and data **display** accordingly. ... size details •C++ symbol name demangler •Munch **routine** •More ...www.embedded-tools.de/Downloads/Wind%20River/WindPowerIDE.pdf - Supplemental Result - [Similar pages](#)[\[PDF\] AdaMULTI Ada 95 Integrated Development Environment](#)

File Format: PDF/Adobe Acrobat

Display Stack Trace—Shows a **window** displaying a. stack trace.This allows the programmer to follow the. progress of a program through its **hierarchical call** ...www.ghs.com/download/datasheets/AdaMULTI_IDE.pdf - [Similar pages](#)

USENIX_PCT

... users can **select** how to **display** program locations. ... For instance it does not support **hierarchical call** path samples along the lines of.[13] ...pdos.csail.mit.edu/pct/pct.html - 69k - [Cached](#) - [Similar pages](#)[\[PDF\] BitRaker Inc.](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**Window**). **Select** your run input from the "Run Input Selection Combo Box". ... CodeRuler GUI allows you to **display** only those functions that have a %H- ...www.bitraker.com/docs/CodeRuler-User-Guide.pdf - [Similar pages](#)[\[PDF\] HP-UX Programming Tools Release Notes](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)associated with the **routines** and lines listed in the **window**. ... standard X**Windows -display** option to set either the Puma **display** ...docs.hp.com/en/5969-4408/5969-4408.pdf - [Similar pages](#)

[PDF] [Fact Sheet](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

follow the progress of a program through its **hierarchical Call** structure. • Watch view: for monitoring and updating data In a separate **window**. ...

www.metrowerks.com/pdf/DS91501A_MGT.pdf - Supplemental Result - [Similar pages](#)

[USENIX 2002 Annual Technical Conference - Paper](#)

PCT lets users **select** the coordinates to be used in reports. ... For instance it does not support **hierarchical call** path samples along the lines of.[13] ...

www.sagecertification.org/events/usenix02/full_papers/blake/blake_html/index.html - 73k -

[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooogle ►

Result Page: 1 2 3 4 5 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google